



# STATE OF DELAWARE AMBULANCE INSPECTION SHEET

<b>COMMUNICATIONS</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
Two way, reliable communication between EMT, Dispatcher, and Medical Direction (See SFPC Ambulance Regulation under Communications Requirements)			
<b>INFECTION CONTROL</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
2 Biohazard bags			
3 Hepa masks			
12 Eye/Mouth/Nose protection (disposable)			
3 disposable gowns			
12 pairs disposable gloves			
Disinfectant hand wash, commercial antimicrobial (towelette, spray or liquid)			
Disinfectant solution or wipes for cleaning equipment.			
<b>OBSTETRICAL</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
2 O.B. kits (sterile) to include – 1 drape sheet, 1 pair of rubber gloves, 1 receiving blanket, 1 bulb aspirator, 2 hand towels, 2 cord clamps or umbilical tape.			
<b>MONITORING AND DEFBRILLATION</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
1 SAED (Semi-Automatic External Defibrillator)			
1 SAED Kit (1 Razor, 2 Adult/1 Pediatric Pads or Key, 1 Small Towel, 1 pocket mask with a one-way valve.			
<b>IMMOBILIZATION DEVICES</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
Adult & Pediatric splints for 2 arms & 2 legs (inflatable splints, vacuum splints, SAM Splints, or wooden padded boards)			
1 Adult and 1 Pediatric Traction splint or equivalent femur traction splint with all straps			
1 KED or equivalent extraction device with all straps			
3 back boards with appropriate securing straps attached to board (2 Adult & 1 Pediatric x-ray translucent) NO WOODEN BACKBOARDS			

<b>IMMOBILIZATION DEVICES cont.</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
3 complete head immobilization devices (Three Dimensional foam head blocks that adhere to spine board by Velcro, locking straps or click and lock head blocks)			
4 Adult & 4 Pediatric sized cervical stabilization devices/extrication collars (may be adjustable)			
1 Flexible stretcher Removed Reeves type			
1 Pelvic Stabilization Device (see Pelvic Stabilization Protocol).			
<b>MISCELLANEOUS EQUIPMENT</b>	<b>YES</b>	<b>NO</b>	<b>N/A</b>
1 Ambulance Cot with proper latching mechanisms (Minimum of 3 Patient straps – All straps utilized as manufacture intended)			
1 folding stretcher or squad bench (optional)			
1 Stair Chair or Combination Stretcher/chair			
3 Blood Pressure Cuffs All Latex Free (large adult, adult and peds)			
1 Adult Stethoscope Latex Free			
1 Pediatric Stethoscope Latex Free			
2 Towels or similar disposable towels			
2 Blankets			
12 Triage Tags shall be tags not ribbons.			
2 Liters of sterile normal saline solution or distilled water for irrigation (any size bottles-totaling 2 liters)			
4 Ice Packs			
4 Hot Packs			
1 Burn Kit w/sterile sheet. The kit can be commercially purchased or self-made and must contain the following items: 1 – 12 x 12, 1 – 20 x 30, 1 – 15 x 20, 1 – 60 x 90 Sterile Burn Sheets, 1 Liter Saline, 2 – Sterile Roll Self-Adhering Gauze Bandages, 2 – 5 x 9, 4 – 4 x 4, 4 – 2 x 2 Gauze Pads and Cloth Tape. No water gel dressing is allowed. Dry dressings only.			
2 Working Pen Lights			
2 Emesis pans or basin			
1 Pillow Optional			
2 Sets of Sheets			

# STATE OF DELAWARE AMBULANCE INSPECTION SHEET

Glucometer with all required equipment			
--	--	--	--

MISCELLANEOUS EQUIPMENT cont.	YES	NO	N/A
Glucometer with all required equipment			
2 Tubes Oral Glucose (Not expired)			
Seat Belt Extender for at least 1 seat (unless seatbelt extends 60 inches)			
1 Pulse Ox/CO- Oximeter			
Class 3 Breakaway Vest for each Crew member to meet the Hwy Safety Transportation Standards.			
Soft Restraint System (See Restraint Protocol – Restraints shall be padded and easily removable).			
Thermometer – Under the tongue type, ear or forehead type. No rectal thermometer. (See Heat Emergency Protocol).			
INJURY PREVENTION EQUIPMENT	YES	NO	N/A
1 Flashlight			
1 Fire Extinguisher (minimum 5lb ABC dry chemical) Inspected within last 2 years			
1 Set of DOT triangle reflectors			
1 Sharps Container			
1 Child car seat (**see guideline note)			
Personal CO2 Monitor attached to jump bag.			
PASS Taggs – 2 per crew member (Rehab Protocol)			
20 Copies - Fire Ground Incident Rehab Form (Rehab Protocol)			
DOT Book – Emergency Response Guide Book			
TOOLS	YES	NO	N/A
1 16 oz Claw Hammer			
1 Flat-head Screwdriver			
1 Set of Pliers			
1 Adjustable Wrench			
Ring Cutter			
Seatbelt Cutter			
1 Wrecking bar 24” minimum			
1 Set of Battery Jumper Cables			
1 Spring-loaded center punch			

VEHICLE INSPECTION	YES	NO	N/A
Tires (acceptable tread) RF _____ RR _____ RIR _____			
LF _____ LR _____ LIR _____			
Glass (No cracks or obstructions)			
Patient Compartment AC/Heater environmental system shall be capable of heating and cooling the patient care area to a warmth of 78 degrees and a cooling to 70 degrees. (See Hot/Cold Weather Protocol).			
Mirror-operable (adjustable to offer unobstructed field of vision)			
Wipers – operable (do they clear windshield)			
Horn – Operable (manufacture installed)			
License plate (Visible)			
Reflectors and Lenses (Not Cracked)			
Lights operable: turn signals, brake lights, head lights, tail lights, parking lights, clearance lights.			
Hood and latch, door latches (do they operate as designed)			
Body Condition (holes, rust, major damage)			
Warning devices – operable: Emergency lights and sirens			
Two Way Radio Communication with reliable source			
Shock absorbers (excessive bouncing of unit)			
Exhaust System (leaks under vehicle or high CO reading in patient compartment)			
“Unit Identification Number” shall match identification number on unit permit.			
<b><u>OPTIONAL CARE - Maintain packaging and adhere to expiration dates.</u></b>			
CPAP			
Narcan			
ASA – Aspirin 81 mg.			
Albuterol			
Epi-Pen			
Mark I Kit/Duodote			
Electronic access to the Standing Orders and Protocols			

# STATE OF DELAWARE AMBULANCE INSPECTION SHEET

---

**ALL ITEMS LISTED ON THIS FORM MUST OPERATE WITHIN ITS INTENDED FUNCTION**

DO NOT SEND THIS FORM IN WITH THE APPLICATION FOR AMBULANCE PERMIT

**\*\*REQUIRED CHILD CAR SEAT GUIDELINES: - REQUIRED**

Convertible child safety seat with weight limits up to at least 65 pounds and a 5 point harness. The child safety seat must meet all Federal Motor Vehicle Safety Seat Standard 213 requirements. The child safety seat must not exceed the disposal date recommended by the manufacturer. If the manufacturer does not specify, the car seat must not be older than 6 years old, as determined by the date of the manufacture sticker located on the restraint.

Car Seat Expires on \_\_\_\_\_

Member with unit at time of inspection: \_\_\_\_\_

Inspector Signature: \_\_\_\_\_

Last Updated 4/21/15