

9. After Respondent and EMT Albert Apicella left Nemours, Patient's blood pressure remained low and she continued to be in distress. Patient's husband took her to the Emergency Room.

10. By the above conduct, Respondent violated Part 710, Section 14.4.1.6 of the Delaware State Fire Prevention Regulations in that he has engaged in unprofessional conduct as defined by § 14.4.2 ¶¶ 3 and 11.

WHEREFORE, pursuant to 16 *Del. C.* § 6712, the State of Delaware respectfully requests that the Commission:

- a. Serve Respondent with a copy of the Complaint;
- b. Set a time for a hearing on the allegations set forth above;
- c. Find Respondent guilty of the violations alleged herein; and
- d. Impose such disciplinary measures as the Commission deems appropriate.

STATE OF DELAWARE
DEPARTMENT OF JUSTICE

/s/ Daniel C. Mulveny
Daniel C. Mulveny (I.D. # 3984)
Deputy Attorney General
State of Delaware
820 N. French Street, Sixth Floor
Wilmington, DE 19801
(302) 577-8400

Date: October 14, 2019

**BEFORE THE STATE FIRE PREVENTION COMMISSION
OF THE STATE OF DELAWARE**

IN RE: JAMES VON VORST)
) Case No.: 1915
 EMT I.D. NO: 855290)

ORDER

WHEREAS, the Delaware State Fire Prevention Commission has reviewed this matter and hereby approves the Consent Agreement of the parties, and enters it now as an Order of the Delaware State Fire Prevention Commission;

IT IS SO ORDERED this 15th day of October, 2019.

David J. Roberts
 David J. Roberts
 Chairman

Alan Robinson, Jr.
 Alan Robinson, Jr.
 Vice Chairman

Ron Marvel
 Ron Marvel

Lynn Truitt
 Lynn Truitt

William Kelly
 William Kelly

Joseph J. Leonetti, Sr.
 Joseph J. Leonetti, Sr.

Willard Betts, Jr.
 Willard Betts, Jr.